


DS Series Plastic Enclosure(Metal screw type)



Technical drawing of a shaft-hub assembly. The drawing shows a cross-section of a shaft (left) and a hub (right) connected by a key. The shaft has a diameter of $\varnothing 30$ mm. The hub has a bore diameter of $\varnothing 30$ mm. The key is a standard key with a width of 10 mm and a height of 8 mm. The dimension $D3$ is indicated as the distance from the end face of the hub to the end of the key.

前面带★表示自带壁挂孔

DS Series Plastic Enclosure(Metal screw type)

产品特征 Product characteristics

RoHS

CE

IP66








有极好的绝缘性能，抗化学腐蚀和抗机械挤压的性能。达到高要求的IP66防护等级，所有的箱体都防尘、防水、抗80° 高温。采用ABS、PC等材料制成，外形美观、性能坚固。产品适用于小型终端机、按钮盒、信号机、继电器、计量器、通信用接线盒等设备。

The enclosure is according to EN60529 standard,free from corrosion,compressive property and insulation,widely used in electronics,communications,fire fighting apparatus,control panel terminal boxes,public accommodation,ship industry,food industry etc.we always give top priority to quality and safety,your satisfaction is guaranteed.

型号规格 Model and size

Size	产品型号 Product model		底板型号 Plate Model
W H D	ABS	PC/ABS	Metal(金属)
	盖:灰色ABS 箱体:灰色ABS Cover:Grey ABS Body:Grey ABS	盖:透明PC 箱体: 灰色ABS Cover:Transparent PC Body:Grey ABS	
50 × 52 × 40	DS-NG-0505	DS-NT-0505	DS-0505
50 × 65 × 35	DS-NG-0506-S	DS-NT-0506-S	DS-0506
60 × 85 × 33	DS-NG-0608	DS-NT-0608	DS-0608
60 × 120 × 35	DS-NG-0612	DS-NT-0612	DS-0612
65 × 65 × 57	DS-NG-0606	DS-NT-0606	DS-0606
65 × 65 × 81	DS-NG-0606-1	DS-NT-0606-1	DS-0606
65 × 65 × 35	DS-NG-0606-S	DS-NT-0606-S	DS-0606
65 × 72 × 47	DS-NG-0607	DS-NT-0607	DS-0607
68 × 100 × 35	DS-NG-0610-S	DS-NT-0610-S	DS-0610
68 × 100 × 60	DS-NG-0610	DS-NT-0610	DS-0610
68 × 100 × 40	DS-NG-0610-1S	DS-NT-0610-1S	DS-0610
68 × 100 × 65	DS-NG-0610-1	DS-NT-0610-1	DS-0610
70 × 130 × 35	DS-NG-0713-S	DS-NT-0713-S	DS-0713
70 × 130 × 60	DS-NG-0713	DS-NT-0713	DS-0713
70 × 130 × 43	DS-NG-0713-1S	DS-NT-0713-1S	DS-0713
70 × 130 × 68	DS-NG-0713-1	DS-NT-0713-1	DS-0713
★ 68 × 100 × 50	DS-NG-0610-Q	DS-NT-0610-Q	DS-0610
140 × 105 × 85	DS-NG-1014	DS-NT-1014	DS-1014
140 × 105 × 105	DS-NG-1014-1	DS-NT-1014-1	DS-1014
160 × 160 × 90	DS-NG-1616	DS-NT-1616	DS-1616
230 × 300 × 90	DS-NG-2330	DS-NT-2330	DS-2330
230 × 300 × 110	DS-NG-2330-1	DS-NT-2330-1	DS-2330



适用附件 Accessories



Foothold
支架 (4PCS)
MODEL: NG-01

Wall mounting brackets
塑料挂墙钩 (2PCS)
MODEL: NG-02

DS系列 塑料盒(螺栓型)


DS Series Plastic Enclosure(Screw type)



有极好的绝缘性能, 抗化学腐蚀和抗机械挤压的性能。达到高要求的IP66防护等级, 所有的箱体都防尘、防水、抗80° 高温。采用ABS、PC等材料制成, 外形美观、性能坚固。产品适用于小型终端机、按钮盒、信号机、继电器、计量器、通信用接线盒等设备。

The enclosure is according to EN60529 standard, free from corrosion, compressive property and insulation, widely used in electronics, communications, fire fighting apparatus, control panel terminal boxes, public accommodation, ship industry, food industry etc. we always give top priority to quality and safety, your satisfaction is guaranteed.

Dimension(允许误差 $\pm 1\text{mm}$)



适用附件 Accessories



Steel mounting plate
金属底板 (镀锌)



Plastic mounting plate
塑料底板 (ABS)



Wall brackets for Plastic box
塑料盒不锈钢挂墙钩 (4PCS)
MODEL: WP-01



Plastic enclosure screw
塑料螺丝 (4PCS)
MODEL: DSLT-70



Plastic enclosure screw
塑料螺丝 (4PCS)
MODEL: DSM-60



Plastic enclosure screw
塑料螺丝 (4PCS)
MODEL: DSS-50

DS Series Plastic Enclosure(Screw type)

型号规格 Model and size



RoHS



CE

IP66



	Size	产品型号 Product model (Stainless steel latch+Screw type)				底板型号		金属底板规格		Size(mm)								
	W H D	ABS	PC/ABS	PC	PC	Plate Model		Plate Size		W1	W2	W3	H1	H2	H3	D1	D2	D3
		盖:灰色ABS 盒体:灰色ABS Cover:Grey ABS Body:Grey ABS	盖:透明PC 盒体:灰色ABS Cover:Transparent PC Body:Grey ABS	盖:灰色PC 盒体:灰色PC Cover:Grey PC Body:Grey PC	盖:透明PC 盒体:灰色PC Cover:Transparent PC Body:Grey PC	Plastic (塑料)	Metal (金属)	M1	M2									
★ ★ ★ ★ ★ ★ ★ ★ ★ ★ NEW NEW	50×65×55	DS-AG-0506	DS-AT-0506	DS-PG-0506	DS-PT-0506	——	DS-0506	40	55	50	44	37	65	60	52	20	35	43
	55×70×43	DS-AG-0507	DS-AT-0507	DS-PG-0507	DS-PT-0507	——	DS-0507	45	60	55	47	47	70	62	52	8	35	32
	55×91×43	DS-AG-0509	DS-AT-0509	DS-PG-0509	DS-PT-0509	——	DS-0509	45	80	55	47	47	91	89	78	8	35	32
	65×95×55	DS-AG-0609	DS-AT-0609	DS-PG-0609	DS-PT-0609	——	——	——	——	65	59	50	95	89	79	15	40	35
	75×91×43	DS-AG-0709	DS-AT-0709	DS-PG-0709	DS-PT-0709	——	DS-0709	60	114	70	67	67	91	89	78	8	35	32
	75×105×60	DS-AG-0710	DS-AT-0710	DS-PG-0710	DS-PT-0710	——	DS-0710	65	80	75	67	57	105	97	86	20	40	47
	70×125×48	DS-AG-0712-S	DS-AT-0712-S	DS-PG-0712-S	DS-PT-0712-S	——	DS-0712	60	114	70	64	61	125	118	114	8	40	35
	75×125×75	DS-AG-0712	DS-AT-0712	DS-PG-0712	DS-PT-0712	DS-0712P	DS-0712	60	110	75	64	57	125	116	107	25	49	62
	75×125×100	DS-AG-0712-1	DS-AT-0712-1	DS-PG-0712-1	DS-PT-0712-1	DS-0712P	DS-0712	60	110	75	64	57	125	116	107	50	49	87
	80×80×60	DS-AG-0808	DS-AT-0808	DS-PG-0808	DS-PT-0808	DS-0808P	DS-0808	65	65	75	77	62	80	77	62	15	45	47
★ ★ ★ ★ ★ ★ ★ ★ ★ ★ NEW NEW	80×80×85	DS-AG-0808-1	DS-AT-0808-1	DS-PG-0808-1	DS-PT-0808-1	DS-0808P	DS-0808	65	65	80	77	62	80	77	62	15	70	72
	80×110×45	DS-AG-0811-S	DS-AT-0811-S	DS-PG-0811-S	DS-PT-0811-S	DS-0811P	DS-0811	67	91	80	72	62	110	102	92	20	25	32
	80×110×60	DS-AG-0811-1S	DS-AT-0811-1S	DS-PG-0811-1S	DS-PT-0811-1S	DS-0811P	DS-0811	67	91	80	72	62	110	102	92	35	25	47
	80×110×70	DS-AG-0811	DS-AT-0811	DS-PG-0811	DS-PT-0811	DS-0811P	DS-0811	67	91	80	72	62	110	102	92	20	50	57
	80×110×85	DS-AG-0811-1	DS-AT-0811-1	DS-PG-0811-1	DS-PT-0811-1	DS-0811P	DS-0811	67	91	80	72	62	110	102	92	35	50	73
	80×110×100	DS-AG-0811-2	DS-AT-0811-2	DS-PG-0811-2	DS-PT-0811-2	DS-0811P	DS-0811	67	91	80	72	62	110	102	92	20	80	87
	80×110×115	DS-AG-0811-3	DS-AT-0811-3	DS-PG-0811-3	DS-PT-0811-3	DS-0811P	DS-0811	67	91	80	72	62	110	102	92	35	80	102
	80×130×70	DS-AG-0813	DS-AT-0813	DS-PG-0813	DS-PT-0813	DS-0813P	DS-0813	67	117	80	72	62	130	122	112	20	50	58
	80×130×85	DS-AG-0813-1	DS-AT-0813-1	DS-PG-0813-1	DS-PT-0813-1	DS-0813P	DS-0813	67	117	80	72	62	130	122	112	35	50	73
	80×160×55	DS-AG-0816-S	DS-AT-0816-S	DS-PG-0816-S	DS-PT-0816-S	DS-0816P	DS-0816	67	151	80	75	68	162	155	148	15	40	44
★ ★ ★ ★ ★ ★ ★ ★ ★ ★ NEW NEW	80×160×90	DS-AG-0816	DS-AT-0816	DS-PG-0816	DS-PT-0816	DS-0816P	DS-0816	67	151	82	75	68	162	155	148	15	75	79
	80×180×70	DS-AG-0818	DS-AT-0818	DS-PG-0818	DS-PT-0818	DS-0818P	DS-0818	70	170	82	72	62	180	172	162	20	50	57
	80×180×85	DS-AG-0818-1	DS-AT-0818-1	DS-PG-0818-1	DS-PT-0818-1	DS-0818P	DS-0818	70	170	80	72	62	180	172	162	35	50	72
	80×220×70	DS-AG-0822	DS-AT-0822	DS-PG-0822	DS-PT-0822	DS-0822P	DS-0822	67	209	80	72	62	220	212	202	20	50	58
	80×250×70	DS-AG-0825	DS-AT-0825	DS-PG-0825	DS-PT-0825	DS-0825P	DS-0825	67	237	80	72	62	250	242	232	20	50	58
	80×250×85	DS-AG-0825-1	DS-AT-0825-1	DS-PG-0825-1	DS-PT-0825-1	DS-0825P	DS-0825	67	237	80	72	62	250	242	232	35	50	73
	80×250×100	DS-AG-0825-2	DS-AT-0825-2	DS-PG-0825-2	DS-PT-0825-2	DS-0825P	DS-0825	67	237	80	72	62	250	242	232	50	50	85
	91×110×43	DS-AG-0910	DS-AT-0910	DS-PG-0910	DS-PT-0910	——	DS-0910	80	100	80	89	78	110	108	102	8	35	32
	90×125×48	DS-AG-0912	DS-AT-0912	DS-PG-0912	DS-PT-0912	——	DS-0912	80	116	91	83.5	81	125	118	114	8	40	40
	94×130×70	DS-AG-0913	DS-AT-0913	DS-PG-0913	DS-PT-0913	——	DS-0913	86	116	90	86	74	130	122	115	20	50	55
★ ★ ★ ★ ★ ★ ★ ★ ★ ★ NEW NEW	94×130×100	DS-AG-0913-1	DS-AT-0913-1	DS-PT-0913-1	——	DS-0913	80	116	94	86	74	130	122	115	20	80	85	
	100×100×75	DS-AG-1010	DS-AT-1010	DS-PG-1010	DS-PT-1010	DS-1010P	DS-1010	80	80	94	93	82	100	93	82	20	55	62
	100×100×100	DS-AG-1010-1	DS-AT-1010-1	DS-PG-1010-1	DS-PT-1010-1	DS-1010P	DS-1010	80	80	101	93	82	100	93	82	20	80	87
	100×224×75	DS-AG-1022	DS-AT-1022	DS-PG-1022	DS-PT-1022	——	DS-1022	80	205	101	91	76	224	194	198	15	60	60
	100×180×75	DS-AG-1018	DS-AT-1018	DS-PG-1018	DS-PT-1018	——	DS-1018	82	162	100	91	76	180	151	155	15	60	60
	113×183×90	DS-AG-1118	DS-AT-1118	DS-PG-1118	DS-PT-1118	DS-1118P	DS-1118	98	108	100	104	95	183	174	165	20	70	76
	113×183×105	DS-AG-1118-1	DS-AT-1118-1	DS-PG-1118-1	DS-PT-1118-1	DS-1118P	DS-1118	98	168	113	104	95	183	174	165	35	70	91
	120×160×90	DS-AG-1216	DS-AT-1216	DS-PG-1216	DS-PT-1216	——	DS-1216	106	146	113	110	102	160	150	142	20	70	76.5
	120×200×75	DS-AG-1220	DS-AT-1220	DS-PG-1220	DS-PT-1220	DS-1220P	DS-1220	95	175	120	111	102	200	191	182	20	55	60
	120×220×85	DS-AG-1222	DS-AT-1222	DS-PG-1222	DS-PT-1222	DS-1222P	DS-1222	95	175	120	110	100	220	210	200	20	67	74
★ ★ ★ ★ ★ ★ ★ ★ ★ ★ NEW NEW	125×125×75	DS-AG-1212-S	DS-AT-1212-S	DS-PG-1212-S	DS-PT-1212-S	DS-1212P	DS-1212	112	112	120	116	105	125	118	105	20	55	62
	125×125×100	DS-AG-1212	DS-AT-1212	DS-PG-1212	DS-PT-1212	DS-1212P	DS-1212	112	112	125	116	105	125	118	105	20	80	87
	125×175×75	DS-AG-1217	DS-AT-1217	DS-PG-1217	DS-PT-1217	DS-1217P	DS-1217	112	162	125	117	109	175	167	156	25	50	60
	125×175×100	DS-AG-1217-1	DS-AT-1217-1	DS-PG-1217-1	DS-PT-1217-1	DS-1217P	DS-1217	112	162	128	117	109	175	167	156	50	50	85
	125×175×110	DS-AG-1217-2	DS-AT-1217-2	DS-PG-1217-2	DS-PT-1217-2	DS-1217P	DS-1217	112	162	128	117	109	175	167	156	25	85	95
	125×175×135	DS-AG-1217-3	DS-AT-1217-3	DS-PG-1217-3	DS-PT-1217-3	DS-1217P	DS-1217	112	162	128	117	109	175	167	156	50	85	112
	140×170×95	DS-AG-1417	DS-AT-1417	DS-PG-1417	DS-PT-1417	DS-1417P	DS-1417	127	154	128	132	122	170	161	152	20	75	82
	140×230×95	DS-AG-1423	DS-AT-1423	DS-PG-1423	DS-PT-1423	DS-1423P	DS-1423	125	215	140	131	122	230	220	212	20	75	81
	150×200×75	DS-AG-1520-S	DS-AT-1520-S	DS-PG-1520-S	DS-PT-1520-S	DS-1520P	DS-1520	132	182	140	140	132	200	190	182	20	55	61
	150×200×100	DS-AG-1520	DS-AT-1520	DS-PG-1520	DS-PT-1520	DS-1520P	DS-1520	132	182	150	140	132	200	190	182	20	80	86
★ ★ ★ ★ ★ ★ ★ ★ ★ ★ NEW NEW	150×200×130	DS-AG-1520-1	DS-AT-1520-1	DS-PG-1520-1	DS-PT-1520-1	DS-1520P	DS-1520	132	182	150	140	132	200	190	182	50	80	116
	150×200×130	DS-AG-1520-2	DS-AT-1520-2	DS-PG-1520-2	DS-PT-1520-2	DS-1520P	DS-1520	132	182	150	140	132	200	190	182	20	110	116
	150×200×160	DS-AG-1520-3	DS-AT-1520-3	DS-PG-1520-3	DS-PT-1520-3	DS-1520P	DS-1520	132	182	150	140	132	200	190	182	50	110	146
	150×250×100	DS-AG-1525	DS-AT-1525	DS-PG-1525	DS-PT-1525	DS-1525P	DS-1525	135	235	150	140	132	250	240	232	20	80	87
	150×250×130	DS-AG-1525-1	DS-AT-1525-1	DS-PG-1525-1	DS-PT-1525-1	DS-1525P	DS-1525	135	235	150	140	132	250	240	232	50	80	117
	150×250×130	DS-AG-1525-2	DS-AT-1525-2	DS-PG-1525-2	DS-PT-1525-2	DS-1525P	DS-1525	135	235	150	140	132	250	240	232	20	110	117
	150×250×160	DS-AG-1525-3	DS-AT-1525-3	DS-PG-1525-3	DS-PT-1525-3	DS-1525P	DS-1525	135	235	150	140	132						


DS系列 塑料盒(铰链型)

DS- AGH Series Plastic Enclosure(Hinge type)



Dimension(允许误差 ± 1 mm)


BASE




COVER
BASE



COVER
+BASE



MOUNTING
PLATE



	Size	Division	W1	W2	W3	H1	H2	H3	H4	D1	D2	D3
	80 × 80 × 85		80	77	62	80	77	62	50	15	70	70
	80 × 110 × 70		80	72	62	110	102	92	80	20	50	52
	80 × 110 × 85		80	72	62	110	102	92	80	35	50	68
	80 × 110 × 100		80	72	62	110	102	92	80	20	80	82
	80 × 110 × 115		80	72	62	110	102	92	80	35	80	97
	80 × 130 × 70		80	72	62	130	122	112	100	20	50	52
	80 × 130 × 85		80	72	62	130	122	112	100	35	50	68
NEW	80 × 180 × 70		80	72	62	180	172	162	150	20	50	52
NEW	80 × 180 × 85		80	72	62	180	172	162	150	35	50	68
	80 × 220 × 70		80	72	62	220	212	202	190	20	50	52
	80 × 250 × 70		80	72	62	250	242	232	220	20	50	52
	80 × 250 × 85		80	72	62	250	242	232	220	35	50	60
NEW	80 × 250 × 100		80	72	62	250	242	232	220	50	50	82
	100 × 100 × 75		101	93	82	101	93	82	60	20	55	62
	100 × 100 × 100		101	93	82	101	93	82	60	20	80	87
	113 × 183 × 90		113	104	95	183	174	165	145	20	70	76
	113 × 183 × 105		113	104	95	183	174	165	145	35	70	91
NEW	120 × 160 × 90		120	110	102	160	150	142	125	20	70	76.5
	120 × 200 × 75		120	111	102	200	191	182	160	20	55	60
	120 × 220 × 85		120	110	100	220	210	200	183	20	67	74
	125 × 125 × 75		125	116	105	125	118	105	70	20	55	62
	125 × 125 × 100		125	116	105	125	118	105	70	20	80	87
	125 × 175 × 75		128	117	109	175	167	156	140	25	50	60
NEW	125 × 175 × 100		128	117	109	175	167	156	140	50	50	85
NEW	125 × 175 × 110		128	117	109	175	167	156	140	25	75	95
	125 × 175 × 135		128	117	109	175	167	156	140	50	85	88
	140 × 170 × 95		140	132	122	170	161	152	130	20	75	82
	140 × 230 × 95		140	131	122	230	220	212	190	20	75	81
	150 × 200 × 75		150	140	132	200	190	182	160	20	55	61
	150 × 200 × 100		150	140	132	200	190	182	160	20	80	86
	150 × 200 × 130		150	140	132	200	190	182	160	50	80	116
	150 × 200 × 130		150	142	132	200	190	182	160	20	110	116
	150 × 200 × 160		150	142	132	200	190	182	160	50	110	146
	150 × 250 × 100		150	140	132	250	240	232	210	20	80	87
	150 × 250 × 130		150	140	132	250	240	232	210	50	80	117
	150 × 250 × 130		150	140	132	250	240	232	210	20	110	117
	150 × 250 × 160		150	140	132	250	240	232	210	50	110	147
	175 × 175 × 75		175	164	157	175	167	157	140	25	50	60
	175 × 175 × 100		175	164	157	175	167	157	140	50	50	85
NEW	175 × 175 × 125		175	164	157	175	167	157	140	25	100	110
NEW	175 × 175 × 150		175	164	157	175	167	157	140	50	100	135
	175 × 250 × 75		175	167	157	250	242	232	214	25	50	60
	175 × 250 × 100		175	167	157	250	242	232	214	50	50	85
NEW	180 × 255 × 100		180	170	155	250	239	225	216	15	85	86
	200 × 200 × 95		200	190	182	200	190	182	120	20	75	81
	200 × 200 × 125		200	190	182	200	190	182	120	50	75	111
	200 × 200 × 130		200	190	182	200	190	182	120	50	80	116
	200 × 200 × 160		200	190	182	200	190	182	120	50	110	146
	200 × 250 × 100		200	191	178	250	241	228	215	25	75	87
	200 × 300 × 105		200	190	180	300	290	280	263	20	85	92

DS- AGH Series Plastic Enclosure(Hinge type)

型号规格 Model and size


Size	产品型号 Product model (Stainless steel latch+Screw type)				底板型号 Plate Model		金属底板规格Plate Size	
W H D	ABS	PC/ABS	PC	PC	Plastic(塑料)	Metal(金属)	M1	M2
	盖:灰色ABS 盒体:灰色ABS Cover:Grey ABS Body:Grey ABS	盖:透明PC 盒体: 灰色ABS Cover:Transparent PC Body:Grey ABS	盖:灰色PC 盒体:灰色PC Cover:Grey PC Body:Grey PC	盖:透明PC 盒体:灰色PC Cover:Transparent PC Body:Grey PC				
80×80×85	DS-AGH-0808-1	DS-ATH-0808-1	DS-PGH-0808-1	DS-PTH-0808-1	DS-0808P	DS-0808	65	65
80×110×70	DS-AGH-0811	DS-ATH-0811	DS-PGH-0811	DS-PTH-0811	DS-0811P	DS-0811	67	91
80×110×85	DS-AGH-0811-1	DS-ATH-0811-1	DS-PGH-0811-1	DS-PTH-0811-1	DS-0811P	DS-0811	67	91
80×110×100	DS-AGH-0811-2	DS-ATH-0811-2	DS-PGH-0811-2	DS-PTH-0811-2	DS-0811P	DS-0811	67	91
80×110×115	DS-AGH-0811-3	DS-ATH-0811-3	DS-PGH-0811-3	DS-PTH-0811-3	DS-0811P	DS-0811	67	91
80×130×70	DS-AGH-0813	DS-ATH-0813	DS-PGH-0813	DS-PTH-0813	DS-0813P	DS-0813	67	117
80×130×85	DS-AGH-0813-1	DS-ATH-0813-1	DS-PGH-0813-1	DS-PTH-0813-1	DS-0813P	DS-0813	67	117
80×180×70	DS-AGH-0818	DS-ATH-0818	DS-PGH-0818	DS-PTH-0818	DS-0818P	DS-0818	70	170
80×180×85	DS-AGH-0818-1	DS-ATH-0818-1	DS-PGH-0818-1	DS-PTH-0818-1	DS-0818P	DS-0818	70	170
80×220×70	DS-AGH-0822	DS-ATH-0822	DS-PGH-0822	DS-PTH-0822	DS-0822P	DS-0822	67	209
80×250×70	DS-AGH-0825	DS-ATH-0825	DS-PGH-0825	DS-PTH-0825	DS-0825P	DS-0825	67	237
80×250×85	DS-AGH-0825-1	DS-ATH-0825-1	DS-PGH-0825-1	DS-PTH-0825-1	DS-0825P	DS-0825	67	237
80×250×100	DS-AGH-0825-2	DS-ATH-0825-2	DS-PGH-0825-2	DS-PTH-0825-2	DS-0825P	DS-0825	67	237
100×100×75	DS-AGH-1010	DS-ATH-1010	DS-PGH-1010	DS-PTH-1010	DS-1010P	DS-1010	80	80
100×100×100	DS-AGH-1010-1	DS-ATH-1010-1	DS-PGH-1010-1	DS-PTH-1010-1	DS-1010P	DS-1010	80	80
113×183×90	DS-AGH-1118	DS-ATH-1118	DS-PGH-1118	DS-PTH-1118	DS-1118P	DS-1118	98	108
113×183×105	DS-AGH-1118-1	DS-ATH-1118-1	DS-PGH-1118-1	DS-PTH-1118-1	DS-1118P	DS-1118	98	168
120×160×90	DS-AGH-1216	DS-ATH-1216	DS-PGH-1216	DS-PTH-1216	DS-1216P	DS-1216	106	138
120×200×75	DS-AGH-1220	DS-ATH-1220	DS-PGH-1220	DS-PTH-1220	DS-1220P	DS-1220	95	175
120×220×85	DS-AGH-1222	DS-ATH-1222	DS-PGH-1222	DS-PTH-1222	DS-1222P	DS-1222	95	175
125×125×75	DS-AGH-1212-S	DS-ATH-1212-S	DS-PGH-1212-S	DS-PTH-1212-S	DS-1212P	DS-1212	112	112
125×125×100	DS-AGH-1212	DS-ATH-1212	DS-PGH-1212	DS-PTH-1212	DS-1212P	DS-1212	112	112
125×175×75	DS-AGH-1217	DS-ATH-1217	DS-PGH-1217	DS-PTH-1217	DS-1217P	DS-1217	112	162
125×175×100	DS-AGH-1217-1	DS-ATH-1217-1	DS-PGH-1217-1	DS-PTH-1217-1	DS-1217P	DS-1217	112	162
125×175×110	DS-AGH-1217-2	DS-ATH-1217-2	DS-PGH-1217-2	DS-PTH-1217-2	DS-1217P	DS-1217	112	162
125×175×135	DS-AGH-1217-3	DS-ATH-1217-3	DS-PGH-1217-3	DS-PTH-1217-3	DS-1217P	DS-1217	112	162
140×170×95	DS-AGH-1417	DS-ATH-1417	DS-PGH-1417	DS-PTH-1417	DS-1417P	DS-1417	127	154
140×230×95	DS-AGH-1423	DS-ATH-1423	DS-PGH-1423	DS-PTH-1423	DS-1423P	DS-1423	125	215
150×200×75	DS-AGH-1520-S	DS-ATH-1520-S	DS-PGH-1520-S	DS-PTH-1520-S	DS-1520P	DS-1520	132	182
150×200×100	DS-AGH-1520	DS-ATH-1520	DS-PGH-1520	DS-PTH-1520	DS-1520P	DS-1520	132	182
150×200×130	DS-AGH-1520-1	DS-ATH-1520-1	DS-PGH-1520-1	DS-PTH-1520-1	DS-1520P	DS-1520	132	182
150×200×130	DS-AGH-1520-2	DS-ATH-1520-2	DS-PGH-1520-2	DS-PTH-1520-2	DS-1520P	DS-1520	132	182
150×200×160	DS-AGH-1520-3	DS-ATH-1520-3	DS-PGH-1520-3	DS-PTH-1520-3	DS-1520P	DS-1520	132	182
150×250×100	DS-AGH-1525	DS-ATH-1525	DS-PGH-1525	DS-PTH-1525	DS-1525P	DS-1525	135	235
150×250×130	DS-AGH-1525-1	DS-ATH-1525-1	DS-PGH-1525-1	DS-PTH-1525-1	DS-1525P	DS-1525	135	235
150×250×130	DS-AGH-1525-2	DS-ATH-1525-2	DS-PGH-1525-2	DS-PTH-1525-2	DS-1525P	DS-1525	135	235
150×250×160	DS-AGH-1525-3	DS-ATH-1525-3	DS-PGH-1525-3	DS-PTH-1525-3	DS-1525P	DS-1525	135	235
175×175×75	DS-AGH-1717	DS-ATH-1717	DS-PGH-1717	DS-PTH-1717	DS-1717P	DS-1717	159	159
175×175×100	DS-AGH-1717-1	DS-ATH-1717-1	DS-PGH-1717-1	DS-PTH-1717-1	DS-1717P	DS-1717	159	159
175×175×125	DS-AGH-1717-2	DS-ATH-1717-2	DS-PGH-1717-2	DS-PTH-1717-2	DS-1717P	DS-1717	159	159
175×175×150	DS-AGH-1717-3	DS-ATH-1717-3	DS-PGH-1717-3	DS-PTH-1717-3	DS-1717P	DS-1717	159	159
175×250×75	DS-AGH-1725	DS-ATH-1725	DS-PGH-1725	DS-PTH-1725	DS-1725P	DS-1725	155	230
175×250×100	DS-AGH-1725-1	DS-ATH-1725-1	DS-PGH-1725-1	DS-PTH-1725-1	DS-1725P	DS-1725	155	230
180×255×100	DS-AGH-1825	DS-ATH-1825	DS-PGH-1825	DS-PTH-1825	DS-1825P	DS-1825	160	230
200×200×95	DS-AGH-2020-S	DS-ATH-2020-S	DS-PGH-2020-S	DS-PTH-2020-S	DS-2020P	DS-2020	185	185
200×200×125	DS-AGH-2020-1	DS-ATH-2020-1	DS-PGH-2020-1	DS-PTH-2020-1	DS-2020P	DS-2020	185	185
200×200×130	DS-AGH-2020	DS-ATH-2020	DS-PGH-2020	DS-PTH-2020	DS-2020P	DS-2020	185	185
200×200×160	DS-AGH-2020-2	DS-ATH-2020-2	DS-PGH-2020-2	DS-PTH-2020-2	DS-2020P	DS-2020	185	185
200×250×100	DS-AGH-2025	DS-ATH-2025	DS-PGH-2025	DS-PTH-2025	DS-2025P	DS-2025	180	228
200×300×105	DS-AGH-2030	DS-ATH-2030	DS-PGH-2030	DS-PTH-2030	DS-2030P	DS-2030	180	275

★表示螺丝是不锈钢材质


防水防尘等级 IP66

温度范围 -40℃~+80℃

适用附件 Accessories

Steel mounting plate
金属底板 (镀锌)Plastic mounting plate
塑料底板(ABS)Wall brackets for Plastic box
塑料盒不锈钢挂墙钩(4PCS)
MODEL:WP-01Cap for Screw
堵塞头(4PCS)
MODEL:ZC-S10Stainless steel hinge
不锈钢铰链(2PCS)
MODEL:HG-01Stainless steel latch
不锈钢搭扣(2PCS)
MODEL:LC-01

DS Series Plastic Enclosure(Screw type)



温度范围	-40℃-+80℃
------	-----------

DS- AGH Series Plastic Enclosure(Screw type)

产品特征 Product characteristics



RoHS

CE IP66



采用高强度ABS、PC耐火材料和UV添加材料制成，外形美观大方，具有很高的可塑性和坚固性。适用于端子箱、配电板、仪器盒、电力设备用BOX以及控制箱作用方便。

With high strength ABS, PC refractories and UV added material, the enclosure has beautiful appearance, high plasticity and ruggedness. It is Suitable for terminal boxes, distribution panels, instrument boxes, electrical equipment boxes and control boxes, simple and easy to use.

型号规格 Model and size

Size	产品型号 Product model (Screw type)				底板型号 Plate Model		金属底板规格 Plate Size	
	ABS	PC/ABS	PC	PC	Plastic(塑料)	Metal(金属)	M1	M2
	盖:灰色ABS 盒体:灰色ABS Cover:Grey ABS Body:Grey ABS	盖:透明PC 盒体:灰色ABS Cover:Transparent PC Body:Grey ABS	盖:灰色PC 盒体:灰色PC Cover:Grey PC Body:Grey PC	盖:透明PC 盒体:灰色PC Cover:Transparent PC Body:Grey PC				
280 × 190 × 130	DS-AG-2819	DS-AT-2819	DS-PG-2819	DS-PT-2819	DS-2819P	DS-2819	160	260
280 × 190 × 180	DS-AG-2819-1	DS-AT-2819-1	DS-PG-2819-1	DS-PT-2819-1	DS-2819P	DS-2819	160	260
280 × 190 × 180	DS-AG-2819-2	DS-AT-2819-2	DS-PG-2819-2	DS-PT-2819-2	DS-2819P	DS-2819	160	260
280 × 190 × 230	DS-AG-2819-3	DS-AT-2819-3	DS-PG-2819-3	DS-PT-2819-3	DS-2819P	DS-2819	160	260
280 × 280 × 130	DS-AG-2828	DS-AT-2828	DS-PG-2828	DS-PT-2828	DS-2828P	DS-2828	245	245
280 × 280 × 180	DS-AG-2828-1	DS-AT-2828-1	DS-PG-2828-1	DS-PT-2828-1	DS-2828P	DS-2828	245	245
280 × 280 × 180	DS-AG-2828-2	DS-AT-2828-2	DS-PG-2828-2	DS-PT-2828-2	DS-2828P	DS-2828	245	245
280 × 280 × 230	DS-AG-2828-3	DS-AT-2828-3	DS-PG-2828-3	DS-PT-2828-3	DS-2828P	DS-2828	245	245
340 × 280 × 130	DS-AG-3428	DS-AT-3428	DS-PG-3428	DS-PT-3428	DS-3428P	DS-3428	245	305
340 × 280 × 180	DS-AG-3428-1	DS-AT-3428-1	DS-PG-3428-1	DS-PT-3428-1	DS-3428P	DS-3428	245	305
380 × 190 × 100	DS-AG-3819-S	DS-AT-3819-S	DS-PG-3819-S	DS-PT-3819-S	DS-3819P	DS-3819	160	340
380 × 190 × 130	DS-AG-3819	DS-AT-3819	DS-PG-3819	DS-PT-3819	DS-3819P	DS-3819	160	340
380 × 190 × 180	DS-AG-3819-1	DS-AT-3819-1	DS-PG-3819-1	DS-PT-3819-1	DS-3819P	DS-3819	160	340
280 × 380 × 130	DS-AG-3828	DS-AT-3828	DS-PG-3828	DS-PT-3828	DS-3828P	DS-3828	245	345
280 × 380 × 180	DS-AG-3828-1	DS-AT-3828-1	DS-PG-3828-1	DS-PT-3828-1	DS-3828P	DS-3828	245	345
280 × 380 × 180	DS-AG-3828-2	DS-AT-3828-2	DS-PG-3828-2	DS-PT-3828-2	DS-3828P	DS-3828	245	345
280 × 380 × 230	DS-AG-3828-3	DS-AT-3828-3	DS-PG-3828-3	DS-PT-3828-3	DS-3828P	DS-3828	245	345
280 × 560 × 130	DS-AG-2856	DS-AT-2856	DS-PG-2856	DS-PT-2856	DS-2828P × 2	DS-2828X2	245	245
380 × 560 × 180	DS-AG-3856	DS-AT-3856	DS-PG-3856	DS-PT-3856	DS-3828P × 2	DS-3856	349	529

适用附件 Accessories



Steel mounting plate
金属底板 (镀锌)



Plastic mounting plate
塑料底板(ABS)



Wall brackets for Plastic box
塑料盒不锈钢挂墙钩 (4PCS)
MOEDL:WP-02



Door hinge fixing piece
里门铰链固定件 (4PCS)
MOEDL:LC-S11



Fixing bolts
里门固定架 (4PCS)
MODEL:LC-S12



Plastic enclosure screw
塑料螺丝 (4PCS)
MODEL:DSCB-70



Plastic enclosure screw
塑料螺丝 (4PCS)
MODEL:DSHB-70




Plastic enclosure screw
塑料螺丝 (4PCS)
MODEL:DSCB-50



Plastic enclosure screw
塑料螺丝 (4PCS)
MODEL:DSHB-50



DS-AGH Series Plastic Enclosure(Hinge type)



Technical drawing of a door cross-section. The drawing shows a door frame with a door leaf. A vertical dimension line on the right indicates a gap of 20 mm between the door leaf and the frame. Another vertical dimension line below it indicates a gap of 2 mm between the door leaf and the frame.

温度范围	-40℃~+80℃
------	-----------

DS Series Plastic Enclosure(Hinge type)

产品特征 Product characteristics



RoHS

CE IP66




采用高强度ABS、PC耐火材料和UV添加材料制成，外形美观大方，具有很高的可塑性和坚固性。适用于端子箱、配电板、仪器盒、电力设备用BOX以及控制箱作用方便。

With high strength ABS, PC refractories and UV added material, the enclosure has beautiful appearance, high plasticity and ruggedness. It is Suitable for terminal boxes, distribution panels, instrument boxes, electrical equipment boxes and control boxes, simple and easy to use.

型号规格 Model and size

Size	产品型号 Product model (Screw type)				底板型号 Plate Model		金属底板规格 Plate Size		内门 型号 Model
W H D	ABS 盖:灰色ABS 盒体:灰色ABS Cover:Grey ABS Body:Grey ABS	PC/ABS 盖:透明PC 盒体:灰色ABS Cover:Transparent PC Body:Grey ABS	PC 盖:灰色PC 盒体:灰色PC Cover:Grey PC Body:Grey PC	PC 盖:透明PC 盒体:灰色PC Cover:Transparent PC Body:Grey PC	Plastic(塑料)	Metal(金属)	M1	M2	
280 × 190 × 130	DS-AGH-2819	DS-ATH-2819	DS-PGH-2819	DS-PTH-2819	DS-2819P	DS-2819	160	260	DS-2819L
280 × 190 × 180	DS-AGH-2819-1	DS-ATH-2819-1	DS-PGH-2819-1	DS-PTH-2819-1	DS-2819P	DS-2819	160	260	DS-2819L
280 × 190 × 180	DS-AGH-2819-2	DS-ATH-2819-2	DS-PGH-2819-2	DS-PTH-2819-2	DS-2819P	DS-2819	160	260	DS-2819L
280 × 190 × 230	DS-AGH-2819-3	DS-ATH-2819-3	DS-PGH-2819-3	DS-PTH-2819-3	DS-2819P	DS-2819	160	260	DS-2819L
280 × 280 × 130	DS-AGH-2828	DS-ATH-2828	DS-PGH-2828	DS-PTH-2828	DS-2828P	DS-2828	245	245	DS-2828L
280 × 280 × 180	DS-AGH-2828-1	DS-ATH-2828-1	DS-PGH-2828-1	DS-PTH-2828-1	DS-2828P	DS-2828	245	245	DS-2828L
280 × 280 × 180	DS-AGH-2828-2	DS-ATH-2828-2	DS-PGH-2828-2	DS-PTH-2828-2	DS-2828P	DS-2828	245	245	DS-2828L
280 × 280 × 230	DS-AGH-2828-3	DS-ATH-2828-3	DS-PGH-2828-3	DS-PTH-2828-3	DS-2828P	DS-2828	245	245	DS-2828L
340 × 280 × 130	DS-AGH-3428	DS-ATH-3428	DS-PGH-3428	DS-PTH-3428	DS-3428P	DS-3428	245	305	DS-3428L
340 × 280 × 180	DS-AGH-3428-1	DS-ATH-3428-1	DS-PGH-3428-1	DS-PTH-3428-1	DS-3428P	DS-3428	245	305	DS-3428L
380 × 190 × 100	DS-AGH-3819-S	DS-ATH-3819-S	DS-PGH-3819-S	DS-PTH-3819-S	DS-3819P	DS-3819	160	340	DS-3819L
380 × 190 × 130	DS-AGH-3819	DS-ATH-3819	DS-PGH-3819	DS-PTH-3819	DS-3819P	DS-3819	160	340	DS-3819L
380 × 190 × 180	DS-AGH-3819-1	DS-ATH-3819-1	DS-PGH-3819-1	DS-PTH-3819-1	DS-3819P	DS-3819	160	340	DS-3819L
280 × 380 × 130	DS-AGH-3828	DS-ATH-3828	DS-PGH-3828	DS-PTH-3828	DS-3828P	DS-3828	245	345	DS-3828L
280 × 380 × 180	DS-AGH-3828-1	DS-ATH-3828-1	DS-PGH-3828-1	DS-PTH-3828-1	DS-3828P	DS-3828	245	345	DS-3828L
280 × 380 × 180	DS-AGH-3828-2	DS-ATH-3828-2	DS-PGH-3828-2	DS-PTH-3828-2	DS-3828P	DS-3828	245	345	DS-3828L
280 × 380 × 230	DS-AGH-3828-3	DS-ATH-3828-3	DS-PGH-3828-3	DS-PTH-3828-3	DS-3828P	DS-3828	245	345	DS-3828L
280 × 560 × 130	DS-AGH-2856	DS-ATH-2856	DS-PGH-2856	DS-PTH-2856	DS-2828P × 2	DS-2828X2	245	245	——
380 × 560 × 180	DS-AGH-3856	DS-ATH-3856	DS-PGH-3856	DS-PTH-3856	DS-3828P × 2	DS-3856	349	529	——

适用附件 Accessories



Steel mounting plate
金属底板 (镀锌)



Plastic mounting plate
塑料底板(ABS)



Wall brackets for Plastic box
塑料盒不锈钢挂墙角 (4PCS)
MOEDL:WP-02



Door hinge fixing piece
里门铰链固定件 (2PCS)



Cap for Screw
堵塞头 (4PCS)
MODEL:ZC-S10



Stainless steel hinge
不锈钢铰链 (2PCS)
MODEL:HG-02



Stainless steel latch
不锈钢搭扣 (2PCS)
MODEL:LC-02



Inner door
里门



Inner door
里门



lock accessories
锁的配件
MOEDL:LC-03

DS系列 塑料盒(金属铰链+搭扣型)

TIBOX®

DS Series Plastic Enclosure(Metal hinge+screw type)



产品特征 Product characteristics



CE IP66



采用高强度ABS、PC耐火材料和UV添加材料制成，外形美观大方，具有很高的可塑性和坚固性。适用于端子箱、配电板、仪器盒、电力设备用BOX以及控制箱作用方便。

With high strength ABS, PC refractories and UV added material, the enclosure has beautiful appearance, high plasticity and ruggedness. It is Suitable for terminal boxes, distribution panels, instrument boxes, electrical equipment boxes and control boxes, simple and easy to use.

型号规格 Model and size

Size	产品型号 Product model (Screw type)				底板型号 Plate Model		金属底板规格Plate Size	
W H D	ABS	PC/ABS	PC	PC	Plastic(塑料)	Metal(金属)	M1	M2
280 × 190 × 130	盖:灰色ABS 盒体:灰色ABS Cover:Grey ABS Body:Grey ABS	盖:透明PC 盒体:灰色ABS Cover:Transparent PC Body:Grey ABS	盖:灰色PC 盒体:灰色PC Cover:Grey PC Body:Grey PC	盖:透明PC 盒体:灰色PC Cover:Transparent PC Body:Grey PC	DS-2819P	DS-2819	156	256
280 × 190 × 180	DS-AGG-2819-1	DS-ATG-2819-1	DS-PGG-2819-1	DS-PTG-2819-1	DS-2819P	DS-2819	156	256
280 × 190 × 180	DS-AGG-2819-2	DS-ATG-2819-2	DS-PGG-2819-2	DS-PTG-2819-2	DS-2819P	DS-2819	156	256
280 × 190 × 230	DS-AGG-2819-3	DS-ATG-2819-3	DS-PGG-2819-3	DS-PTG-2819-3	DS-2819P	DS-2819	156	256
280 × 280 × 130	DS-AGG-2828	DS-ATG-2828	DS-PGG-2828	DS-PTG-2828	DS-2828P	DS-2828	245	245
280 × 280 × 180	DS-AGG-2828-1	DS-ATG-2828-1	DS-PGG-2828-1	DS-PTG-2828-1	DS-2828P	DS-2828	245	245
280 × 280 × 180	DS-AGG-2828-2	DS-ATG-2828-2	DS-PGG-2828-2	DS-PTG-2828-2	DS-2828P	DS-2828	245	245
280 × 280 × 230	DS-AGG-2828-3	DS-ATG-2828-3	DS-PGG-2828-3	DS-PTG-2828-3	DS-2828P	DS-2828	245	245
340 × 280 × 130	DS-AGG-3428	DS-ATG-3428	DS-PGG-3428	DS-PTG-3428	DS-3428P	DS-3428	209	309
340 × 280 × 180	DS-AGG-3428-1	DS-ATG-3428-1	DS-PGG-3428-1	DS-PTG-3428-1	DS-3428P	DS-3428	209	309
380 × 190 × 100	DS-AGG-3819-S	DS-ATG-3819-S	DS-PGG-3819-S	DS-PTG-3819-S	DS-3819P	DS-3819	159	355
380 × 190 × 130	DS-AGG-3819	DS-ATG-3819	DS-PGG-3819	DS-PTG-3819	DS-3819P	DS-3819	159	355
380 × 190 × 180	DS-AGG-3819-1	DS-ATG-3819-1	DS-PGG-3819-1	DS-PTG-3819-1	DS-3819P	DS-3819	159	355
280 × 380 × 130	DS-AGG-3828	DS-ATG-3828	DS-PGG-3828	DS-PTG-3828	DS-3828P	DS-3828	248	348
280 × 380 × 180	DS-AGG-3828-1	DS-ATG-3828-1	DS-PGG-3828-1	DS-PTG-3828-1	DS-3828P	DS-3828	248	348
280 × 380 × 180	DS-AGG-3828-2	DS-ATG-3828-2	DS-PGG-3828-2	DS-PTG-3828-2	DS-3828P	DS-3828	248	348
280 × 380 × 230	DS-AGG-3828-3	DS-ATG-3828-3	DS-PGG-3828-3	DS-PTG-3828-3	DS-3828P	DS-3828	248	348
280 × 560 × 130	DS-AGG-2856	DS-ATG-2856	DS-PGG-2856	DS-PTG-2856	DS-2828P × 2	DS-2828X2	251	532
380 × 560 × 180	DS-AGG-3856	DS-ATG-3856	DS-PGG-3856	DS-PTG-3856	DS-3828P × 2	DS-3856	349	529



DS系列 塑料盒(金属铰链+螺栓型)

DS Series Plastic Enclosure(Metal hinge+screw type)



产品特点 Product characteristics



采用高强度ABS、PC耐火材料和UV添加材料制成，外形美观大方，具有很高的可塑性和坚固性。适用于端子箱、配电板、仪器盒、电力设备用BOX以及控制箱作用方便。

With high strength ABS, PC refractories and UV added material, the enclosure has beautiful appearance, high plasticity and ruggedness. It is Suitable for terminal boxes, distribution panels, instrument boxes, electrical equipment boxes and control boxes, simple and easy to use.

型号规格 Model and size

Size	产品型号 Product model (Screw type)				底板型号 Plate Model		金属底板规格 Plate Size	
W H D	ABS	PC/ABS	PC	PC	Plastic(塑料)	Metal(金属)	M1	M2
	盖:灰色ABS 盒体:灰色ABS Cover:Grey ABS Body:Grey ABS	盖:透明PC 盒体:灰色ABS Cover:Transparent PC Body:Grey ABS	盖:灰色PC 盒体:灰色PC Cover:Grey PC Body:Grey PC	盖:透明PC 盒体:灰色PC Cover:Transparent PC Body:Grey PC				
280 x 190 x 130	DS-AGL-2819	DS-ATL-2819	DS-PGL-2819	DS-PTL-2819	DS-2819P	DS-2819	156	256
280 x 190 x 180	DS-AGL-2819-1	DS-ATL-2819-1	DS-PGL-2819-1	DS-PTL-2819-1	DS-2819P	DS-2819	156	256
280 x 190 x 180	DS-AGL-2819-2	DS-ATL-2819-2	DS-PGL-2819-2	DS-PTL-2819-2	DS-2819P	DS-2819	156	256
280 x 190 x 230	DS-AGL-2819-3	DS-ATL-2819-3	DS-PGL-2819-3	DS-PTL-2819-3	DS-2819P	DS-2819	156	256
280 x 280 x 130	DS-AGL-2828	DS-ATL-2828	DS-PGL-2828	DS-PTL-2828	DS-2828P	DS-2828	245	245
280 x 280 x 180	DS-AGL-2828-1	DS-ATL-2828-1	DS-PGL-2828-1	DS-PTL-2828-1	DS-2828P	DS-2828	245	245
280 x 280 x 180	DS-AGL-2828-2	DS-ATL-2828-2	DS-PGL-2828-2	DS-PTL-2828-2	DS-2828P	DS-2828	245	245
280 x 280 x 230	DS-AGL-2828-3	DS-ATL-2828-3	DS-PGL-2828-3	DS-PTL-2828-3	DS-2828P	DS-2828	245	245
340 x 280 x 130	DS-AGL-3428	DS-ATL-3428	DS-PGL-3428	DS-PTL-3428	DS-3428P	DS-3428	209	309
340 x 280 x 180	DS-AGL-3428-1	DS-ATL-3428-1	DS-PGL-3428-1	DS-PTL-3428-1	DS-3428P	DS-3428	209	309
380 x 190 x 100	DS-AGL-3819-S	DS-ATL-3819-S	DS-PGL-3819-S	DS-PTL-3819-S	DS-3819P	DS-3819	159	355
380 x 190 x 130	DS-AGL-3819	DS-ATL-3819	DS-PGL-3819	DS-PTL-3819	DS-3819P	DS-3819	159	355
380 x 190 x 180	DS-AGL-3819-1	DS-ATL-3819-1	DS-PGL-3819-1	DS-PTL-3819-1	DS-3819P	DS-3819	159	355
280 x 380 x 130	DS-AGL-3828	DS-ATL-3828	DS-PGL-3828	DS-PTL-3828	DS-3828P	DS-3828	248	348
280 x 380 x 180	DS-AGL-3828-1	DS-ATL-3828-1	DS-PGL-3828-1	DS-PTL-3828-1	DS-3828P	DS-3828	248	348
280 x 380 x 180	DS-AGL-3828-2	DS-ATL-3828-2	DS-PGL-3828-2	DS-PTL-3828-2	DS-3828P	DS-3828	248	348
280 x 380 x 230	DS-AGL-3828-3	DS-ATL-3828-3	DS-PGL-3828-3	DS-PTL-3828-3	DS-3828P	DS-3828	248	348
280 x 560 x 130	DS-AGL-2856	DS-ATL-2856	DS-PGL-2856	DS-PTL-2856	DS-2828P x 2	DS-2828X2	251	532
380 x 560 x 180	DS-AGL-3856	DS-ATL-3856	DS-PGL-3856	DS-PTL-3856	DS-3828P x 2	DS-3856	349	529



DS 系列 塑料盒(斜面型+螺栓型)


TIBOX®

DS Series Plastic Enclosure(Cant type+screw type)



Dimension(允许误差 ± 1mm)

防水防尘等级	IP 66
温度范围	-40℃--+80℃




采用高强度ABS、PC耐火材料和UV添加材料制成，外形美观大方，具有很高的可塑性和坚固性。适用于端子箱、配电板、仪器盒、电力设备用BOX以及控制箱作用方便。

With high strength ABS, PC refractories and UV added material, the enclosure has beautiful appearance, high plasticity and ruggedness. It is Suitable for terminal boxes, distribution panels, instrument boxes, electrical equipment boxes and control boxes, simple and easy to use.

型号规格 Model and size



Size W H D	产品型号 Product model (Screw type)				底板型号 Plate Model		金属底板规格Plate Size	
	ABS 盖: 灰色ABS 盒体: 灰色ABS Cover: Grey ABS Body: Grey ABS	PC/ABS 盖: 透明PC 盒体: 灰色ABS Cover: Transparent PC Body: Grey ABS	PC 盖: 灰色PC 盒体: 灰色PC Cover: Grey PC Body: Grey PC	PC 盖: 透明PC 盒体: 灰色PC Cover: Transparent PC Body: Grey PC	Plastic(塑料)	Metal(金属)	M1	M2
280 x 190 x 150	DS-AG-2819X	DS-AT-2819X	DS-PG-2819X	DS-PT-2819X	DS-2819P	DS-2819	156	256
280 x 190 x 200	DS-AG-2819-1X	DS-AT-2819-1X	DS-PG-2819-1X	DS-PT-2819-1X	DS-2819P	DS-2819	156	256
380 x 190 x 150	DS-AG-3819X	DS-AT-3819X	DS-PG-3819X	DS-PT-3819X	DS-3819P	DS-3819	159	355
380 x 190 x 200	DS-AG-3819-1X	DS-AT-3819-1X	DS-PG-3819-1X	DS-PT-3819-1X	DS-3819P	DS-3819	159	355




DS 系列 塑料盒

DS Series Plastic Enclosure



采用高强度PC耐火材料和UV添加材料制成，外形美观大方，具有很高的可塑性和坚固性。适用于插座箱、端子箱、配电板、仪器盒、电力设备用BOX以及控制箱作用方便。并设计独有可拆装式内铰链，上下左右可开启。



型号规格 Model and size




Size			产品型号 Product model												底板型号 Plate Model		金属底板规格 Plate size	
W H D	W1	W2	W3	W4	H1	H2	H3	H4	D1	D2	D3	ABS		PC		Metal(金属)	M1	M2
												盖:灰色ABS 箱体:灰色ABS Cover:Grey ABS Body:Grey ABS	盖:透明PC 箱体:灰色PC Cover:Transparent PC Body:Grey PC					
220X340X145	340	323	314	275	220	203	194	150	40	105	128	DS-AG-2234		DS-PG-2234		DS-2234	198	318
270X300X145	300	281.5	274	200	270	251.5	244	175	40	105	128	DS-AG-2730		DS-PG-2730		DS-2730	245	275
300X400X160	400	379	374	300	300	279	274	200	55	105	142	DS-AG-3040		DS-PG-3040		DS-3040	275	375
270X460X160	460	439	434	400	270	244	244	200	55	105	143	DS-AG-2746		DS-PG-2746		DS-2746	245	435
300X520X160	520	499	494	425	300	274	274	200	55	105	143	DS-AG-3052		DS-PG-3052		DS-3052	275	495
360X540X180	540	518.5	514	450	360	338.5	334	250	55	125	163	DS-AG-3654		DS-PG-3654		DS-3654	333	513




内铰链 Inside hinge

Size	内铰链 型号	Size	内铰链 型号
W H D	Hinge model	W H D	Hinge model
220X340X145	HG-05	270X460X160	HG-06
270X300X145	HG-05	300X520X160	HG-06
300X400X160	HG-06	360X540X180	HG-07



抱箍 Upright post fixing

Size	抱箍 型号	Size	抱箍 型号
W H D	Hinge model	W H D	Hinge model
220X340X145	BG-081	270X460X160	BG-082
270X300X145	BG-082	300X520X160	BG-083
300X400X160	BG-083	360X540X180	BG-084



安装条 Installing rai

Size	安装条 型号	Size	安装条 型号
W H D	Hinge model	W H D	Hinge model
220X340X145	SG-01	270X460X160	SG-02
270X300X145	SG-02	300X520X160	SG-03
300X400X160	SG-03	360X540X180	SG-04



挂墙钩 Wall mount bracket

Size	挂墙钩 型号	Size	挂墙钩 型号
W H D	Hinge model	W H D	Hinge model
220X340X145	WP-03	270X460X160	WP-03
270X300X145	WP-03	300X520X160	WP-03
300X400X160	WP-03	360X540X180	WP-03


DS 系列 塑料盒(开关按钮型)

DS Series Plastic Enclosure(Switch button box)




Dimension(允许误差 ± 1mm)


防水防尘等级	IP 66
温 度 范 围	-40℃~+ 80℃




Size	产品型号
W H D	Product model
80 × 80 × 60	DS-AG 0808-Q1
80 × 130 × 70	DS-AG 0813-Q2
80 × 180 × 70	DS-AG 0818-Q3
80 × 250 × 70	DS-AG 0825-Q4
80 × 80 × 60	DS-AG 0808-K1
80 × 130 × 70	DS-AG 0813-K2
80 × 180 × 70	DS-AG 0818-K3
80 × 250 × 70	DS-AG 0825-K4




DS Series Plastic Enclosure(Switch button box)




型号 (Model) : DS-AG-0808-K1Y 尺寸 (Size) : 80X80X60mm




Dimension (允许误差allowance±1mm)




型号 (Model) : DS-AG-0813-K2Y 尺寸 (Size) : 80X130X70mm




Dimension (允许误差allowance±1mm)




型号 (Model) : DS-AG-0818-K3Y 尺寸 (Size) : 80X180X70mm




Dimension (允许误差allowance±1mm)




型号 (Model) : DS-AG-0822-K4Y 尺寸 (Size) : 80X220X70mm



Dimension (允许误差allowance±1mm)



型号 (Model) : DS-AG-0825-K5Y 尺寸 (Size) : 80X250X70mm



Dimension (允许误差allowance±1mm)


盒身为黑色 ■ 盒盖有四个颜色: 黄色Y ■ 黑色B ■ 白色W ■ 冷灰色G ■

DS 系列 非标塑料盒

DS Series Non-standard Plastic Box




型号(Model): DST-01 尺寸(Size): 124×110×82mm



Dimension (允许误差allowance±1mm)




型号(Model): DST-02 尺寸(Size): 80×80×90mm



Dimension (允许误差allowance±1mm)




型号(Model): DST-03 尺寸(Size): 160×82×118mm



Dimension (允许误差allowance±1mm)



型号(Model): DST-04 尺寸(Size): 160×82×82mm



Dimension (允许误差allowance±1mm)



■ 非标定制开发服务

根据客户需求，提供多种方案，开发非标产品

■ Non-standard custom development services

According to customer needs, providing a variety of programs, the development of non-standard client

Carving/Printing/Coloring Service

Hole processing service



■ 电刻机加工服务

TIBOX以丰富的经验为基础为客户提供各种要求的冲孔加工服务。

■ Sculpt processing service

TIBOX Inc. meet on customer's variety of request by a sophisticated hole processing technology on the basis of accumulated experience.

Printing service



■ 丝印及文字加工服务

丝印及文字加工印刷服务让你的产品更出色

■ Silk-screen printing and letter sculpturing service

A vivid silk-screen printing and letter sculpturing service make your product outstanding.

development services



■ 非标定制开发服务

根据客户需求，提供多种方案，开发非标产品

■ Non-standard custom development services

According to customer needs, providing a variety of programs, the development of non-standard client

Coloring service



■ 颜色选择服务


按客户要求提供各种颜色的高品质箱体

■ Coloring service


We produce high quality enclosure with a variety of color.

DS 系列 塑料盒(组合型)


DS Series Plastic Enclosure



K series combined plastic enclosure is a modular, multi-purpose low voltage distribution boards. Used in metallurgy, petroleum, chemical, industrial and mining enterprises and infrastructure for all occasions that require high reliability low pressure systems, power distribution and motor control systems. **K series combined plastic enclosure** is according to customer needs or different occasions, the cabinet can be mounted a variety of models and specifications of components. According to different electrical equipments. Various types of feed units can be mounted in a series of cabinet or a cabinet. Such as feeder circuits and motor control circuits can be mixed together. **K series combined plastic enclosure** is a full range of low voltage switch gear, meet your full range of needs. Used for 1200 A low pressure system. **K series combined plastic enclosure** can provide a high level of reliability and security. User friendly design, enhanced safety for personnel and equipment needed for protection.



TK01




Tk03



TK02













































Tk04



MODEL: TK-01, for box size 190mm
MODEL: TK-03, for box size 190mm

MODEL: TK-02, for box size 280mm
MODEL: TK-04, for box size 280mm

DS Series Plastic Enclosure


2819-K1	2819-K2	2819-K3	2819-K4	2819-K5	2819-K6	2819-K7
						
2828-K1	2828-K2	2828-K3	2828-K4	2828-K5	2828-K6	2828-K7
						
3819-K1	3819-K2	3819-K3	3819-K4	3819-K5	3819-K6	3819-K7
						
3828-K1	3828-K2	3828-K3	3828-K4	3828-K5	3828-K6	3828-K7
						
2856-K1	2856-K2	2856-K3	2856-K4	2856-K5	2856-K6	2856-K7
						
3856-K1	3856-K2	3856-K3	3856-K4	3856-K5	3856-K6	3856-K7
						



DS Series Plastic Enclosure(Plastic latch+hinge type)



Dimension(允许误差 ± 1mm)




防水防尘等级	IP 66
温度范围	-40℃~+120℃

Out of the plastic boxes which are selling at present, it's ability and working efficiency, the competitive power is much higher with the low price same as the level of steel box. The products were added the electromagnetic interference(EMI) and prevent substance of the static electricity, and the strong point was given to the relevant mechanical protection of electricity, electron and etc.

Temperature range:-40 to +120℃
SMC:Fiber glass(body)
PC:Poly Carbamate(cover)

Size	产品型号 Product model (Plastic latch+hinge type)						底板型号 Plate Model		金属底板规格 Plate Size	
W H D	W	H	D	D ₁	D ₂	PC/TIB	Plastic(玻纤)	Metal(金属)	M1	M2
						盖:灰色PC 盒体:玻纤 Cover:Grey PC Body:Glass fiber				
270 x 180 x 170	270	180	170	45	125	PSG-2718 PST-2718	DS-2718	DS-2718	150	240
360 x 270 x 170	360	270	170	45	125	PSG-3627 PST-3627	DS-3627	DS-3627	235	320



Steel mounting plate
金属底板 (镀锌)

