


NE-AG 系列防水开关箱

AG Series Plastic Enclosure




Dimension(允许误差 ± 1mm)


BASE




COVER
BASE



COVER
+BASE



MOUNTING
PLATE



Size	Division	W ₁	W ₂	W ₄	H ₁	H ₂	H ₄	D ₁	D ₂	D ₃
100 × 150 × 70		100	80	—	150	130	100	20	50	64
100 × 200 × 70		99	79	—	200	180	150	20	50	65
110 × 260 × 75		110	89	40	260	239	200	20	55	69
110 × 260 × 100		110	89	40	260	239	200	20	80	94
135 × 155 × 80		135	114	100	155	134	100	20	60	74
135 × 185 × 80		135	114	100	185	164	130	20	60	74
135 × 185 × 110		135	114	100	185	164	130	20	90	104
150 × 150 × 90		150	128	100	150	128	100	20	70	84
170 × 220 × 110		173	149	—	223	200	161	30	80	104
170 × 270 × 110		170	148	100	270	248	180	30	80	104
190 × 290 × 140		190	166	120	286	263	210	30	110	133
200 × 200 × 150	NEW	208	186	150	208	186	180	30	120	138.5
250 × 300 × 150		264	240	180	314	290	230	38	112	143
250 × 300 × 180		264	240	180	314	290	230	38	140	171
250 × 350 × 150		255	231	175	355	331	275	38	110	141
250 × 350 × 180		255	231	175	355	331	275	38	142	173
290 × 190 × 140		287	265	210	197	168	120	31	110	135
290 × 390 × 160		283	259	214	393	369	316	28	132	153
290 × 390 × 200	NEW	283	259	214	392	369	316	30	170	193
300 × 300 × 130		315	310	251	315	310	251	30	100	124
300 × 300 × 180		315	310	251	315	310	251	30	150	174
350 × 465 × 160		372	347	296	494	461	410	31	130	153
350 × 465 × 200		372	347	296	494	461	410	31	170	193
530 × 630 × 185		530	485	426	640	585	526	35	150	173
530 × 630 × 255		530	485	426	640	585	526	35	220	243
530 × 730 × 185		530	485	426	740	685	626	35	150	173
530 × 730 × 255		530	485	426	740	685	626	35	220	243
630 × 830 × 185		630	585	526	840	785	726	35	150	173
630 × 830 × 285		630	585	526	840	785	726	35	250	273

防水防尘等级 IP 66

温度范围 -40℃~+80℃

AG Series Plastic Enclosure

产品特征 Product characteristics



CE IP66



在热销的塑料盒产品中，NICE BOX的功能和作业性能最为优越，价格却与Steel Box 相似，从而提高了产品的竞争力。产品中包含防EML辐射、防静电的物质，以求保护内藏品、防护电气和电气仪表。

适用于小型端子箱、信号机、终端机、以及照明用PUSH Box品种及大小齐全，便于使用。


Out of the plastic boxes which are selling at present, It's ability and working efficiency, the competitive power is much higher with the low price same as the level of steel Box. The products were added the electromagnetic interference (EMI) and prevention substance of the static electricity, and the strong point was given to the relevant mechanical protection of electricity, electron and etc.

The Uses are possible according to the size such as small Terminal Box, Signal, Terminal and Push button, Control Box etc.

型号规格 Model and size

Size	产品型号 Product model (Screw type)				底板型号 Plate Model		金属底板规格 Plate Size		内门 型号 Model
W H D	ABS	PC/ABS	PC	PC	Plastic(塑料)	Metal(金属)	M1	M2	
	盖:灰色ABS 盒体:灰色ABS Cover:Grey ABS Body:Grey ABS	盖:透明PC 盒体: 灰色ABS Cover:Transparent PC Body:Grey ABS	盖:灰色PC 盒体:灰色PC Cover:Grey PC Body:Grey PC	盖:透明PC 盒体:灰色PC Cover:Transparent PC Body:Grey PC					
100×150×70	NE-AG-1015	NE-AT-1015	NE-PG-1015	NE-PT-1015	DS-1015P	DS-1015	76	126	——
100×200×70	NE-AG-1020	NE-AT-1020	NE-PG-1020	NE-PT-1020	DS-1020P	DS-1020	75	176	——
110×260×75	NE-AG-1126-S	NE-AT-1126-S	NE-PG-1126-S	NE-PT-1126-S	——	DS-1126	83	233	——
110×260×100	NE-AG-1126	NE-AT-1126	NE-PG-1126	NE-PT-1126	——	DS-1126	83	233	——
135×155×80	NE-AG-1315	NE-AT-1315	NE-PG-1315	NE-PT-1315	——	DS-1315	110	130	——
135×185×80	NE-AG-1318-S	NE-AT-1318-S	NE-PG-1318-S	NE-PT-1318-S	——	DS-1318	108	158	——
135×185×110	NE-AG-1318	NE-AT-1318	NE-PG-1318	NE-PT-1318	——	DS-1318	108	158	——
150×150×90	NE-AG-1515	NE-AT-1515	NE-PG-1515	NE-PT-1515	DS-1515P	DS-1515	124	124	——
170×220×110	NE-AG-1722	NE-AT-1722	NE-PG-1722	NE-PT-1722	DS-1722P	DS-1722	145	196	LC-1722
170×270×110	NE-AG-1727	NE-AT-1727	NE-PG-1727	NE-PT-1727	DS-——	DS-1727	143	243	LC-1727
190×290×140	NE-AG-1929	NE-AT-1929	NE-PG-1929	NE-PT-1929	DS-1929P	DS-1929	158	256	NE-1929
200×200×150	NE-AG-2020	NE-AT-2020	NE-PG-2020	NE-PT-2020	——	DS-2020	185	185	——
250×300×150	NE-AG-2530	NE-AT-2530	NE-PG-2530	NE-PT-2530	DS-2530P	DS-2530	235	285	NE-2530A
250×300×180	NE-AG-2530-1	NE-AT-2530-1	NE-PG-2530-1	NE-PT-2530-1	DS-2530P	DS-2530	235	285	NE-2530B
250×350×150	NE-AG-2535	NE-AT-2535	NE-PG-2535	NE-PT-2535	DS-2535P	DS-2535	226	326	NE-2535A
250×350×180	NE-AG-2535-1	NE-AT-2535-1	NE-PG-2535-1	NE-PT-2535-1	DS-2535P	DS-2535	226	326	NE-2535B
290×190×140	NE-AG-2919	NE-AT-2919	NE-PG-2919	NE-PT-2919	DS-2919P	DS-2919	158	256	NE-2919A
290×390×160	NE-AG-2939	NE-AT-2939	NE-PG-2939	NE-PT-2939	DS-2939P	DS-2939	254	363	NE-2939A
290×390×200	NE-AG-2939-1	NE-AT-2939-1	NE-PG-2939-1	NE-PT-2939-1	DS-2939P	DS-2939	254	363	NE-2939B
315×315×130	NE-AG-3030-S	NE-AT-3030-S	NE-PG-3030-S	NE-PT-3030-S	DS-3030P	DS-3030S	299	299	NE-3030A
315×315×180	NE-AG-3030-A	NE-AT-3030-A	NE-PG-3030-A	NE-PT-3030-A	DS-3030P	DS-3030S	299	299	NE-3030B
350×465×160	NE-AG-3546-S	NE-AT-3546-S	NE-PG-3546-S	NE-PT-3546-S	DS-3546P	DS-3546	399	452	NE-3546A
350×465×200	NE-AG-3546-1	NE-AT-3546-1	NE-PG-3546-1	NE-PT-3546-1	DS-3546P	DS-3546	399	452	NE-3546B
530×630×185	NE-AG-5363-S	NE-AT-5363-S	——	——	——	DS-5363	475	575	——
530×630×255	NE-AG-5363	NE-AT-5363	——	——	——	DS-5363	475	575	——
530×730×185	NE-AG-5373-S	NE-AT-5373-S	——	——	——	DS-5373	475	675	——
530×730×255	NE-AG-5373	NE-AT-5373	——	——	——	DS-5373	475	675	——
630×830×185	NE-AG-6383-S	NE-AT-6383-S	——	——	——	DS-6383	575	775	——
630×830×285	NE-AG-6383	NE-AT-6383	——	——	——	DS-6383	575	775	——

适用附件 Accessories



Steel mounting plate
金属底板 (镀锌)



Plastic mounting plate
塑料底板(ABS)



Wall brackets for Plastic box
塑料盒不锈钢挂墙钩 (4PCS)
MOEDL:WP-02



Door hinge fixing piece
里门铰链固定件 (4PCS)
MOEDL:LC-S11






Fixing bolts
里门固定架 (4PCS)
MODEL:LC-S12



LC-1722 LC-1727




2MM铝板



NE-AG 系列内门尺寸


NE- AG Series Inner Size




产品特征 Product characteristics



NE 新款里门主要是由里门框架加里门组装而成，安装方便易于拆卸，外形美观便于使用，里门采用合页式结构，里门开启角度90°以上，提手采用磁力式锁紧方式，开门便捷。
里门框架采用高强度ABS材料制成，具有很高的可塑性和坚固性。
里门采用铝板制成，具有耐腐蚀、高强度等特点。
NE new type inside door is mainly assembled by inside door frame Gary door, easy to install and easy to disassemble, beautiful appearance and easy to use, inside door adopts hinge structure, inside door opening Angle above 90°, handle adopts magnetic lock mode, easy to open the door.
The inner door frame is made of high strength ABS material, which has high plasticity and firmness.
The inner door is made of aluminum plate, which has the characteristics of corrosion resistance and high strength.



内门型号 Inner door model	内门框架尺寸		内门尺寸	
	H	W	M1	M2
NE-1929	167	265	148	247
NE-2530A	243	293	223	274
NE-2530B	243	293	223	274
NE-2535A	234	335	213	314
NE-2535B	234	335	213	314
NE-2939	258	374	240	355
NE-3030A	308	308	287	288
NE-3030B	308	308	287	288
NE-3546A	348	463	328	443
NE-3546B	348	463	328	443






采用高强度ABS、PC耐火材料和UV抗紫外线添加材料制成，外形美观大方，具有很高的可塑性和坚固性。适用于端子箱、配电板、仪器盒、电力设备用BOX以及控制箱作用方便。

With high strength ABS, PC refractories and UV added material, the enclosure has beautiful appearance, high plasticity and ruggedness. It is Suitable for terminal boxes, distribution panels, instrument boxes, electrical equipment boxes and control boxes, simple and easy to use.

Dimension(允许误差 $\pm 1\text{mm}$)

防水防尘等级	IP 66
温度范围	-40℃~+ 80℃




Size	Division	W1	W2	W3	W4	H1	H2	H3	H4	D1	D2	D3
200 × 300 × 150		300	278	268	225	200	170	168	125	30	120	135
200 × 300 × 180		300	281	270	227	200	181	170	127	50	130	165
300 × 300 × 180		300	281	270	227	300	281	270	227	50	130	165
300 × 400 × 180		400	381	370	327	300	281	270	227	50	130	165
NEW 300 × 400 × 210		400	381	370	327	300	281	270	227	50	160	195
400 × 500 × 200		500	482	470	428	400	382	370	328	50	150	165
400 × 600 × 220		600	582	570	525	400	382	370	328	50	170	205

NE-AG KG MG 系列防水开关箱


NE- AG KG MG Series Plastsic Enclosure



AG 系列



KG 系列



MG 系列

型号规格 Model and size



Size	产品型号 Product model (Screw type)				底板型号 Plate Model		金属底板规格 Plate Size	
W H D	ABS	PC/ABS	PC	PC	Plastic(塑料)	Metal(金属)	M1	M2
	盖:灰色ABS 盒体:灰色ABS Cover:Grey ABS Body:Grey ABS	盖:透明PC 盒体:灰色ABS Cover:Transparent PC Body:Grey ABS	盖:灰色PC 盒体:灰色PC Cover:Grey PC Body:Grey PC	盖:透明PC 盒体:灰色PC Cover:Transparent PC Body:Grey PC				
200 × 300 × 180	NE-A G-2030	NE-AT-2030	NE-APG-2030	NE-APT-2030	DS-2030P	DS-2030	175	275
300 × 300 × 180	NE-A G-3030	NE-AT-3030	NE-APG-3030	NE-APT-3030	DS-3030P	DS-3030	275	275
300 × 400 × 180	NE-A G-3040	NE-AT-3040	NE-APG-3040	NE-APT-3040	DS-3040P	DS-3040	275	375
NEW 300 × 400 × 210	NE-A G-3040-1	NE-AT-3040-1	NE-APG-3040-1	NE-APT-3040-1	DS-3040P	DS-3040	275	375
400 × 500 × 200	NE-A G-4050	NE-AT-4050	NE-APG-4050	NE-APT-4050	DS-4050P	DS-4050	360	460
400 × 600 × 220	NE-A G-4060	NE-AT-4060	NE-APG-4060	NE-APT-4060	DS-3040PX2	DS-4060	355	550
200 × 300 × 180	NE-KG-2030	NE-KT-2030	NE-KPG-2030	NE-KPT-2030	DS-2030P	DS-2030	175	275
300 × 300 × 180	NE-KG-3030	NE-KT-3030	NE-KPG-3030	NE-KPT-3030	DS-3030P	DS-3030	275	275
300 × 400 × 180	NE-KG-3040	NE-KT-3040	NE-KPG-3040	NE-KPT-3040	DS-3040P	DS-3040	275	375
NEW 300 × 400 × 210	NE-KG-3040-1	NE-KT-3040-1	NE-KPG-3040-1	NE-KPT-3040-1	DS-3040P	DS-3040	275	375
400 × 500 × 200	NE-KG-4050	NE-KT-4050	NE-KPG-4050	NE-KPT-4050	DS-4050P	DS-4050	360	460
400 × 600 × 220	NE-KG-4060	NE-KT-4060	NE-KPG-4060	NE-KPT-4060	DS-3040PX2	DS-4060	355	550
225 × 275 × 120	NE-MG-2227	NE-MT-2227	NE-MPG-2227	NE-MPT-2227	—	DS-2227	150	250
200 × 300 × 150	NE-MG-2030-S	NE-MT-2030-S	NE-MPG-2030-S	NE-MPT-2030-S	DS-2030P	DS-2030	175	275
200 × 300 × 180	NE-MG-2030	NE-MT-2030	NE-MPG-2030	NE-MPT-2030	DS-2030P	DS-2030	175	275
300 × 300 × 180	NE-MG-3030	NE-MT-3030	NE-MPG-3030	NE-MPT-3030	DS-3030P	DS-3030	275	275
300 × 400 × 180	NE-MG-3040	NE-MT-3040	NE-MPG-3040	NE-MPT-3040	DS-3040P	DS-3040	275	375
NEW 300 × 400 × 210	NE-MG-3040-1	NE-MT-3040-1	NE-MPG-3040-1	NE-MPT-3040-1	DS-3040P	DS-3040	275	375
400 × 500 × 200	NE-MG-4050	NE-MT-4050	NE-MPG-4050	NE-MPT-4050	DS-4050P	DS-4050	360	460
400 × 600 × 220	NE-MG-4060	NE-MT-4060	NE-MPG-4060	NE-MPT-4060	DS-3040PX2	DS-4060	355	550

适用附件 Accessories



Lock (circular hole)
锁(圆形孔)标准



Lock (triangle hole)
锁(三角孔)选配




Wall brackets for Big plastic box
塑料盒尼龙挂墙扣 (4PCS)
MOEDL:MG



Plastic hinges for box MG, KG
塑料铰链 (2PCS)
MOEDL:PH-01



Plastic latch for box MG
塑料搭扣 (2PCS)
MOEDL:PL-01



Hoop (telegraph pole fixing)
MOEDL:BG 080



Hinges for fixing inner door
里门固定铰链 (2PCS)
MOEDL:WG-02



Stainless steel hinge
不锈钢铰链 (2PCS)
MOEDL:HG-02



Stainless steel latch
不锈钢搭扣 (2PCS)
MOEDL:LC-02



塑料铰链 (2PCS)
MOEDL:PH-01



塑料搭扣 (2PCS)
MOEDL:PL-01



Hoop (telegraph pole fixing)
MOEDL:BG 080



MOEDL: AG



MOEDL: KG



MOEDL: MG



塑料铰链 (2PCS)
MOEDL:PH-01



塑料搭扣 (2PCS)
MOEDL:PL-01



Hoop (telegraph pole fixing)
MOEDL:BG 080